Annual Index for Volume 47
Materials Evaluation
Author Index

Askwith, H., R. Milke, A. Wehrmeister, D. Grabski, and M. Khazrai, *Leak Testing with Volume Replacement and Acoustic Techniques*, No. 12, p 1378

Adams, R. D. (see Cawley, P.), No. 5, p 558

Adler, L. (see Rokhlin, S. I.), No. 8, p 935

_____(see Wang, W.), No. 12, p 1388

Alcazar, D. G. (see Birring, A. S.), No. 3, p 345

Armistead, R. A., and R. N. Yancey, *Computed Tomography for the Nondestructive Testing of Advanced Engineering Materials* (Back to Basics), No. 5, p 487

Atherton, D. L. (see Schmidt, T. R.), No. 1, p 76

_____(see Schmidt, T. R.), No. 9, p 969

_____(see Sullivan, S.), No. 1, p 80

_____, W. Czura, and T. R. Schmidt, *Finite-Element Calculations for Shields in Remote-Field Eddy Current Tools*, No. 9, p 1084

Austin, K. J., and J. Flaherty, *Nondestructive Testing in the Subsea Environment* (Back to Basics), No. 8, p 871

Berger, H. (see Jones, T. S.), No. 4, p 390

Bilardo, V. J., Jr., and W. Van Dusen, *Development of an Operational Helium Leak Detection System for the National Space Transportation System*, No. 11, p 1301

Birring, A. S., D. G. Alcazar, J. J. Hanley, and S. Gehl, *Ultrasonic Detection of Hydrogen Damage*, No. 3, p 345

Blodgett, E. D. (see Smith, B. T.), No. 12, p 1408

Boring, B., *Determining Performance Leak Test Guidelines for Evaluation of High-Pressure, High-Temperature Wellhead Equipment*, No. 11, p 1266

Bowles, W. V., *Calibrated Stepped Wedges: Rules for Radiographers* (Back to Basics), No. 3, p 262

Brewer, W. (see Kupperman, D. S.), No. 11, p 1297

Brosey, W. D., and J. L. Cantrell, *Comparison of Ultrasonic Flaw-Detection Analysis for Spherical Composite Test Specimens Using Two Data-Acquisition Techniques*, No. 8, p 916

Brown, D. J., and Q. V. Le, *Application of the Remote-Field Eddy Current Technique to the In-Service Inspection of Ferromagnetic Heat-Exchanger Tubing*, No. 1, p 47

Buetzow, G. C., *Automated Radiography of Space Shuttle Motor*, No. 6, p 686

Buoncristiani, A. M. (see Smith, B. T.), No. 12, p 1408

Burkle, W. S., *Application of the Tangential Radiographic Technique for Evaluating Pipe System Erosion/Corrosion*, No. 10, p 1184

Bussière, J. F. (see Yamanaka, K.), No. 7, p 828

Buynak, C. F., T. J. Moran, and R. W. Martin, *Delamination and Crack Imaging in Graphite-Epoxy Composites*, No. 4, p 438

Cabe, D., *Radiography of Main Steam Piping Welds Enclosed within Guard Pipe* (NDT Solution), No. 10, p 1126

Cantrell, J. L. (see Brosey, W. D.), No. 8, p 916

Carlson, R. (see Kupperman, D. S.), No. 11, p 1297

Cavcey, K. H., *Transmission Loss through 6061 T-6 Aluminum Using a Pulsed Eddy Current Source* (Technical Note), No. 2, p 216

Cawley, P., and R. D. Adams, *Sensitivity of the Coin-Tap Method of Nondestructive Testing*, No. 5, p 558

Chang, S.-S. (see Mopsik, F. I.), No. 4, p 448

Chen, H. S. (see Russell, S. S.), No. 5, p 550

Cho, K. (see Rokhlin, S. I.), No. 3, p 363

Clark, A. V., H. Fukuoka, D. V. Mitraković, and J. C. Moulder, *Acoustoelastic Measurements Pertaining to the Nondestructive Characterization of Residual Stress in a Heat-Treated Steel Railroad Wheel*, No. 7, p 835

Clark, W. G., Jr., and J. N. Iyer, *Structure Modeling and the Nondestructive Evaluation of Metal-Matrix Composites*, No. 4, p 460

Clarke, E. T., *Cobalt-60 Radiography of Concrete*, No. 10, p 1200

Claytor, T. N., H. M. Frost, T. H. Feiertag, G. A. Sheppard, and P. D. Shalek, *Nondestructive Measurement of Microstructure Evolution in Ceramics*, No. 5, p 532

Czura, W. (see Atherton, D. L.), No. 9, p 1084

Dau, G. J., *Nondestructive Evaluation: The Cornerstone of Plant Life Extension*, No. 9, p 1046

Davis, L., *Pinpointing Vehicle Leaks Faster with Ultraviolet Light* (NDT Solution), No. 11, p 1248

Davis, R. S., *Early Development of Process Automation with Nucleonic Measurement Gages* (Yesteryears), No. 10, p 1190

_____, *Nondestructive Evaluation with Optical Holography*, No. 7, p 794

_____, *Nondestructive Gaging with Radiation Sources*, No. 9, p 1054

Deffenbaugh, J. D. (see Taylor, T. T.), No. 3, p 338

Doctor, S. R. (see Taylor, T. T.), No. 3, p 338

Doggart, R. R., *Certification of Industrial Radiography Radiation Safety Personnel*, No. 10, p 1132

Durgin, P. B. (see Eklund, A. G.), No. 11, p 1288

Durou, G. (see Morin, F.), No. 9, p 1078; Errata, No. 12, p 1424

Ek, C. (see King, M.), No. 2, p 123

Eklund, A. G., J. R. Worlund, and P. B. Durgin, *EPA Development of Evaluation Tests for Detection of External Leaks in Underground Storage Tanks*, No. 11, p 1288

Ellingson, W. A. (see Vannier, M. W.), No. 4, p 454

Engblom, M. R., *Considerations for Automated Ultrasonic Inspection of In-Service Pressure Vessels in the Petroleum Industry* (Back to Basics), No. 12, p 1332

Fahr, A., S. Lee, S. Tanary, and Y. Haddad, *Estimation of Strength in Adhesively Bonded Steel Specimens by Acousto-Ultrasonic Technique*, No. 2, p 233

Feiertag, T. H. (see Claytor, T. N.), No. 5, p 532

Fitting, D. W. (see Mayes, M. J.), No. 2, p 225

Flaherty, J. (see Austin, K. J.), No. 8, p 871

Freeman, S. M. (see Smith, B. T.), No. 12, p 1408

Friesel, M. A., *Application of Signal Analysis to Acoustic Emission from a Cyclically Loaded Aluminum Joint Specimen*, No. 7, p 842

Frock, B. G., and R. W. Martin, *Digital Image Enhancement for Ultrasonic Imaging of Defects in Composite Materials*, No. 4, p 442

Frost, H. M. (see Claytor, T. N.), No. 5, p 532

Fukuoka, H. (see Clark, A. V.), No. 7, p 835

Gehl, S. (see Birring, A. S.), No. 3, p 345

Gibson, R. F. (see Srivatsan, T. S.), No. 5, p 564

Giles, S., *Leak Testing with a Residual Gas Analyzer* (Back to Basics), No. 11, p 1244

Gorbash, V. G. (see Zatsepin, N. N.), No. 8, p 912

_____(see Zatsepin, N. N.), No. 9, p 1074

Gourgon, L. A., *Certification of Operators of Radiographic Exposure Devices: A Canadian Perspective*, No. 2, p 156

Grabski, D. (see Askwith, H.), No. 12, p 1378

Green, E. R., *Worst-Case Defects Affecting Ultrasonic Inspection Reliability*, No. 12, p 1401

Guu, A. C. (see Rokhlin, S. I.), No. 3, p 363

_____, and S. I. Rokhlin, *Computerized Radiographic Weld Penetration Control with Feedback on Weld Pool Depression*, No. 10, p 1204

Haddad, Y. (see Fahr, A.), No. 2, p 233

Hain, W., *Monitoring Material Property Transformations with Electrical Resistivity* (NDT Solution), No. 6, p 619

Hanley, J. J. (see Birring, A. S.), No. 3, p 345
Hansche, B. D., *Film-Based Computed Tomography of Nuclear-Fuel-Damage Experiments*, No. 6, p 741
Hayakawa, Y. (see Nonaka, T.), No. 5, p 542
Hayden, J. J., and R. W. Pechacek, *Ultrasonic Imaging in the Petroleum Processing Industry*, No. 12, p 1372
Heasler, P. G. (see Taylor, T. T.), No. 3, p 338
Henneke, E. G., II (see Tang, B.), No. 8, p 928
Hennige, C. W., *Schlieren Optical System for Visualizing Ultrasonic Waves* (NDT Solution), No. 5, p 496
Henry, E. B., *The Role of Nondestructive Testing in the Production of Pipe and Tubing* (Lester Honor Lecture; Yesteryears), No. 6, p 714
Heyman, J. S. (see Smith, B. T.), No. 12, p 1408
Hoshikawa, H., K. Koyama, J. Koido, and Y. Ishibashi, *Characteristics of Remote-Field Eddy Current Technique*, No. 1, p 93
Hu, J. K., D. A. Hutchins, J. Ungar, Q. L. Zhang, and D. K. Mak, *Noncontact Ultrasonic Reflection Tomography*, No. 6, p 736
Hunston, D. L. (see Mopsik, F. I.), No. 4, p 448
Hutchins, D. A. (see Hu, J. K.), No. 6, p 736
Ishibashi, Y. (see Hoshikawa, H.), No. 1, p 93
Iyer, J. N. (see Clark, W. G., Jr.), No. 4, p 460
Jacoby, M. H., and D. E. Lingenfelter, *Monitoring the Performance of Industrial Computed Tomography Inspection Systems*, No. 10, p 1196
Jen, C. K. (see Yamanaka, K.), No. 7, p 828
Jones, R. M., *Acoustic Monitoring of Nuclear Plant Operating Valves for Leakage*, No. 11, p 1278
Jones, T. S., and H. Berger, *Application of Nondestructive Inspection Methods to Composites* (Back to Basics), No. 4, p 390
Kenig, S. (see Segal, E.), No. 8, p 921
Kerzner, G., I. Sprung, and V. Zilberstein, *Field Metallography for Life Extension Studies of High-Temperature Components*, No. 9, p 1008
Khazrai, M. (see Askwith, H.), No. 12, p 1378
Kilgore, R. J., and S. Ramchandran, *Remote-Field Eddy Current Testing of Small-Diameter Carbon Steel Tubes* (NDT Solution), No. 1, p 32
King, M., and C. Ek, *Ultrasonic Testing of Step Bolts for Use in Power Line Towers* (NDT Solution), No. 2, p 123
Koido, J. (see Hoshikawa, H.), No. 1, p 93
Koyama, K. (see Hoshikawa, H.), No. 1, p 93
Kunerth, D. C., K. L. Telschow, and J. B. Walter, *Characterization of Porosity Distributions in Advanced Ceramics: A Comparison of Ultrasonic Methods*, No. 5, p 571
Kunzel, H. (see Staib, W.), No. 7, p 790
Kupperman, D. S., R. Carlson, R. Lanham, and W. Brewer, *Characterization of Acoustic Signals from Leaking Intergranular Stress-Corrosion Cracks*, No. 11, p 1297
Lanham, R. (see Kupperman, D. S.), No. 11, p 1297
Le, Q. V. (see Brown, D. J.), No. 1, p 47
Lee, S. (see Fahr, A.), No. 2, p 233
Lévesque, G. (see Morin, F.), No. 9, p 1078; Errata, No. 12, p 1424
Light, G. M., G. P. Singh, and F. D. McDaniel, *Ultrasonic and X-Ray Fluorescence Measurement of the Thickness of Metal Foils*, No. 3, p 322
Lingenfelter, D. E. (see Jacoby, M. H.), No. 10, p 1196
Lippold, J. C. (see Wang, W.), No. 12, p 1388
Liu, C. T., *Measurement of Damage in a Solid Propellant by Acoustic Imaging Technique*, No. 6, p 746
MacLean, M. D., *Defect Characterization by the Remote-Field Eddy Current Technique in Small-Diameter Tubing*, No. 1, p 24
Mak, D. K. (see Hu, J. K.), No. 6, p 736
Makarwich, L. B., *Benefits and Limitations of Multiplexers in Ultrasonic Systems* (Back to Basics), No. 7, p 777; Errata, No. 12, p 1424
Mantena, R. (see Srivatsan, T. S.), No. 5, p 564
Martin, R. W. (see Buynak, C. F.), No. 4, p 438
_____(see Frock, B. G.), No. 4, p 442
Martinez, E., and S. E. Walmsley, *Argon in Leak Detection and Leak Location*, No. 11, p 1276
Mathieu, P. (see Stockman, A.), No. 3, p 356
Mayes, M. J., and D. W. Fitting, *Evaluation of a Dry-Silver System for Weld Radiography*, No. 2, p 225
McCurdy, M., *Ultrasonic Inspection of Pin Assemblies in Bridges* (NDT Solution), No. 12, p 1340
McDaniel, F. D. (see Light, G. M.), No. 3, p 322
McKinney, W. E. J., *Archival Quality of Radiographic Film* (NDT Solution), No. 9, p 985
_____, *Bromide Dependence in Nondestructive Testing Radiographic Processing*, No. 10, p 1211
McRae, T. G., *Remote Sensing Technique for Leak Testing of Components and Systems*, No. 11, p 1308
Ménard, P. (see Morin, F.), No. 9, p 1078; Errata, No. 12, p 1424
Meng, S. (see Rokhlin, S. I.), No. 8, p 935
Milke, R. (see Askwith, H.), No. 12, p 1378
Miller, J. G. (see Smith, B. T.), No. 12, p 1408
Miller, V. L., *NRC Views on Radiographer Certification*, No. 2, p 148
Mitraković, D. V. (see Clark, A. V.), No. 7, p 835
Mopsik, F. I., S.-S. Chang, and D. L. Hunston, *Dielectric Measurements for Cure Monitoring*, No. 4, p 448
Moran, T. J. (see Buynak, C. F.), No. 4, p 438
Morin, F., P. Ménard, G. Lévesque, and G. Durou, *Four-Point Resistivity Testing of High-Ampacity Electrical Joints*, No. 9, p 1078; Errata, No. 12, p 1424
Moulder, J. C. (see Clark, A. V.), No. 7, p 835
Nellis, D. O., *Radiographic Equipment Performance Standards*, No. 10, p 1182
Nerken, A., *History of Leak Testing* (Yesteryears), No. 11, p 1268
Neron, C. (see Yamanaka, K.), No. 7, p 828
Nicholson, P. S. (see Stockman, A.), No. 3, p 356
Nishimori, H. (see Nonaka, T.), No. 5, p 542
Nonaka, T., Y. Hayakawa, S. Takeda, and H. Nishimori, *Ultrasonic Imaging System for Composites and Ceramics*, No. 5, p 542
Nondestructive Testing of Ceramics: A Selective NTIAC Bibliography, No. 5, p 523
Offutt, C. J. (see Vannier, M. W.), No. 4, p 454
Pechacek, R. W. (see Hayden, J. J.), No. 12, p 1372
Perdijon, J., *Acoustical Systems for the Focusing of a Narrow Ultrasonic Beam*, No. 12, p 1358
_____, *Statistics Applied to the Acceptance Decision in Ultrasonic Testing*, No. 7, p 812
Place, T. A. (see Srivatsan, T. S.), No. 5, p 564
Plumstead, W. C., *ASNT Certification Program for Industrial Radiation Safety*, No. 2, p 154
Porter, A. M., *Composite Stiffener Inspection Using Redirected Longitudinal Waves* (NDT Solution), No. 4, p 408
Ramchandran, S. (see Kilgore, R. J.), No. 1, p 32
Randle, W. R., *Angle of Refraction in the Ultrasonic Testing of Wrought Metals*, No. 12, p 1346
Rokhlin, S. I., *In-Process Radiographic Evaluation of Arc Welding*, No. 2, p 219; Erratum, No. 12, p 1424
_____, K. Cho, and A. C. Guu, *Closed-Loop Process Control of Weld Penetration Using Real-Time Radiography*, No. 3, p 363
_____(see Guu, A. C.), No. 10, p1 204
_____, S. Meng, and L. Adler, *In-Process Ultrasonic Evaluation of Spot Welds*, No. 8, p 935
_____(see Wang, W.), No. 12, p 1388
Russell, S. S., M. A. Sutton, and H. S. Chen, *Image Correlation Quantitative Nondestructive Evaluation of Impact and Fabrication Damage in a Glass Fiber-Reinforced Composite System*, No. 5, p 550
Schmidt, T. R., *History of the Remote-Field Eddy Current Inspection Technique* (Back to Basics), No. 1, p 14
Schmidt, T. R. (see Atherton, D. L.), No. 9, p 1084
_____, D. L. Atherton, and S. Sullivan, *The Remote-Field Transition Zone* (Back to Basics), No. 9, p 969
_____, D. L. Atherton, and S. Sullivan, *Use of One-Dimensional Skin-Effect Equations for Predicting Remote-Field Characteristics, Including Wall-Thickness versus Frequency Requirements*, No. 1, p 76
Scott, D. M., *Density Measurements from Radioscopic Images* (Back to Basics), No. 10, p 1113; Erratum, No. 12, p 1424
Segal, E., and S. Kenig, *Acceptance Criteria for Nondestructive Evaluation of Adhesively Bonded Structures*, No. 8, p 921
Shalek, P. D. (see Claytor, T. N.), No. 5, p 532
Sheppard, G. A. (see Claytor, T. N.), No. 5, p 532
Siewert, T. A., *Typical Usage of Radioscopic Systems: Replies to a Survey*, No. 6, p 701
Singh, G. P. (see Light, G. M.), No. 3, p 322
Smith, A. C., and H. Yang, *Ultrasonic Study of Adhesive Bond Quality at a Steel-to-Rubber Interface by Using Quadrature Phase Detection Techniques*, No. 12, p 1396
Smith, B. T., J. S. Heyman, A. M. Buoncristiani, E. D. Blodgett, J. G. Miller, and S. M. Freeman, *Correlation of the Deply Technique with the Ultrasonic Imaging of Impact Damage in Graphite-Epoxy Composites*, No. 12, p 1408
Spanner, J. C., Sr. (see Taylor, T. T.), No. 3, p 338
Sprung, I. (see Kerzner, G.), No. 9, p 1008
Srivatsan, T. S., R. Mantena, R. F. Gibson, T. A. Place, and T. S. Sudarshan, *Electromagnetic Measurement of Damping Capacity to Detect Damage in Adhesively Bonded Material*, No. 5, p 564
Staib, W., and H. Kunzel, *On-Site Ferrite Content Measurement of Duplex Steel Structures in the Chemical Industry* (NDT Solution), No. 7, p 790
Stanley, R. K., *Ultrasonic Distances Useful in Oilfield Tubular Inspection* (NDT Solution), No. 3, p 272

Stockman, A., P. Mathieu, and P. S. Nicholson, *Ultrasonic Characterization of Model Defects in Ceramics (Part 3): Spherical Inclusions in Opaque Crystallized Glass—Theory and Practice*, No. 3, p 356
Stott, H. R. (see Wallo, M. J.), No. 6, p 604
Sudarshan, T. S. (see Srivatsan, T. S.), No. 5, p 564
Sullivan, S., and D. L. Atherton, *Analysis of the Remote-Field Eddy Current Effect in Nonmagnetic Tubes*, No. 1, p 80
_____(see Schmidt, T. R.), No. 1, p 76
_____(see Schmidt, T. R.), No. 9, p 969
Sun, Y.-S., *Finite-Element Study of Diffusion Energy Flow in Low-Frequency Eddy Current Fields* (Technical Note), No. 1, p 87
Sundberg, R., *Eddy Current Testing to Detect Property Changes Caused by the Heat Treatment of 2024 Aluminum* (1989 Robert B. Oliver Scholarship Paper), No. 9, p 1062
Sutton, M. A. (see Russell, S. S.), No. 5, p 550
Takeda, S. (see Nonaka, T.), No. 5, p 542
Tanary, S. (see Fahr, A.), No. 2, p 233
Tang, B., and E. G. Henneke, II, *Lamb-Wave Monitoring of Axial Stiffness Reduction of Laminated Composite Plates*, No. 8, p 928
Taylor, T. T., J. C. Spanner, Sr., P. G. Heasler, S. R. Doctor, and J. D. Deffenbaugh, *An Evaluation of Human Reliability in Ultrasonic In-Service Inspection for Intergranular Stress-Corrosion Cracks through Round-Robin Testing*, No. 3, p 338
Telschow, K. L. (see Kunerth, D. C.), No. 5, p 571
Ungar, J. (see Hu, J. K.), No. 6, p 736
Van Dusen, W. (see Bilardo, V. J., Jr.), No. 11, p 1301
Vannier, M. W., C. J. Offutt, and W. A. Ellingson, *Nondestructive Volumetric CT-Scan Evaluation of Monolithic Ceramic Turbine Components*, No. 4, p 454
Vikström, M., *Thermography of Foam-Core Sandwich Structures*, No. 7, p 802
Walkden, P., *Automated Ultrasonic Defect Discrimination*, No. 9, p 1000
Wallo, M. J., and H. R. Stott, *Monitoring and Diagnostic Program for Major Rotating Machinery of an Electric Utility* (Back to Basics), No. 6, p 604
Walmsley, S. E. (see Martinez, E.), No. 11, p 1276
Walter, J. B. (see Kunerth, D. C.), No. 5, p 571
Wang, W., S. I. Rokhlin, J. C. Lippold, and L. Adler, *Relationship between Ultrasonic Measurements and Microstructural Characteristics of Type 308 Stainless Steel Welds*, No. 12, p 1388
Waterstrat, C., *The Need to Train Leak Testing Personnel*, No. 11, p 1263
Weber, C. C., *The Texas Experience with a Radiographer Examination Program*, No. 2, p 152
Wehrmeister, A. (see Askwith, H.), No. 12, p 1378
Wheeler, G. C., *ASNT's Standard for Personnel Certification: Report of Committee Chairman*, No. 12, p 1369
Worlund, J. R. (see Eklund, A. G.), No. 11, p 1288
Yamanaka, K., C. K. Jen, C. Neron, and J. F. Bussière, *Improved Ultrasonic Evaluation of Green-State Ceramics with the Use of a Surface-Bonded Adhesive Tape*, No. 7, p 828
Yancey, R. N. (see Armistead, R. A.), No. 5, p 487
Yang, H. (see Smith, A. C.), No. 12, p 1396
Yates, A., *Corrosion-Damage Images in Real Time from Manual Scanning* (NDT Solution), No. 8, p 868
Zatsepin, N. N., and V. G. Gorbash, *Hollow-Core Transverse Excitation Ferroprobes*, No. 9, p 1074
_____, and V. G. Gorbash, *Solid Cylindrical-Core Transverse Excitation Ferroprobes*, No. 8, p 912
Zhang, B. Q., *Acoustic Emission On-Line Monitoring for Petrochemical Plants*, No. 3, p 351
Zhang, Q. L. (see Hu, J. K.), No. 6, p 736
Zilberstein, V. (see Kerzner, G.), No. 9, p 1008
Zinkevich, F. N., *In-Service Inspection of Reactor Vessel Internals Using a Submersible Remotely Operated Vehicle Inspection System* (Back to Basics), No. 2, p 118

Keyword Index

ASNT Certification Program for Industrial Radiation Safety, W. C. Plumstead, No. 2, p 154
ASNT's Standard for Personnel Certification: Report of Committee Chairman, G. C. Wheeler, No. 12, p 1369
Acceptance Criteria for Nondestructive Evaluation of Adhesively Bonded Structures, E. Segal and S. Kenig, No. 8, p 921
Acoustic Emission from a Cyclically Loaded Aluminum Joint Specimen, Application of Signal Analysis to, M. A. Friesel, No. 7, p 842
Acoustic Emission On-Line Monitoring for Petrochemical Plants, B. Q. Zhang, No. 3, p 351
Acoustic Imaging Technique, Measurement of Damage in a Solid Propellant by, C. T. Liu, No. 6, p 746
Acoustic Monitoring of Nuclear Plant Operating Valves for Leakage, R. M. Jones, No. 11, p 1278
Acoustic Signals from Leaking Intergranular Stress-Corrosion Cracks, Characterization of, D. S. Kupperman, R. Carlson, R. Lanham, and W. Brewer, No. 11, p 1297
Acoustic Techniques, Leak Testing with Volume Replacement and, H. Askwith, R. Milke, A. Wehrmeister, D. Grabski, and M. Khazrai, No. 12, p 1378
Acoustical Systems for the Focusing of a Narrow Ultrasonic Beam, J. Perdijon, No. 12, p 1358
Acoustoelastic Measurements Pertaining to the Nondestructive Characterization of Residual Stress in a Heat-Treated Steel Railroad Wheel, A. V. Clark, H. Fukuoka, D. V. Mitraković, and J. C. Moulder, No. 7, p 835
Acousto-Ultrasonic Technique, Estimation of Strength in Adhesively Bonded Steel Specimens by, A. Fahr, S. Lee, S. Tanary, and Y. Haddad, No. 2, p 233
Adhesive Tape, Improved Ultrasonic Evaluation of Green-State Ceramics with the Use of a Surface-Bonded, K. Yamanaka, C. K. Jen, C. Neron, and J. F. Bussière, No. 7, p 828
Adhesive Bond Quality at a Steel-to-Rubber Interface by Using Quadrature Phase Detection Techniques, Ultrasonic Study of, A. C. Smith and H. Yang, No. 12, p 1396
Adhesively Bonded Material, Electromagnetic Measurement of Damping Capacity to Detect Damage in, T. S. Srivatsan, R. Mantena, R. F. Gibson, T. A. Place, and T. S. Sudarshan, No. 5, p 564
Adhesively Bonded Steel Specimens by Acousto-Ultrasonic Technique, Estimation of Strength in, A. Fahr, S. Lee, S. Tanary, and Y. Haddad, No. 2, p 233
Adhesively Bonded Structures, Acceptance Criteria for Nondestructive Evaluation of, E. Segal and S. Kenig, No. 8, p 921
Allegheny County–Center North, Community College of (Education Close-Up), No. 10, p 1179
Aluminum Joint Specimen, Application of Signal Analysis to Acoustic Emission from a Cyclically Loaded, M. A. Friesel, No. 7, p 842
Aluminum Using a Pulsed Eddy Current Source, Transmission Loss through 6061 T-6 (Technical Note), K. H. Cavcey, No. 2, p 216
Aluminum, Eddy Current Testing to Detect Property Changes Caused by the Heat Treatment of 2024 (1989 Robert B. Oliver Scholarship Paper), R. Sundberg, No. 9, p 1062
Analysis of the Remote-Field Eddy Current Effect in Nonmagnetic Tubes, S. Sullivan and D. L. Atherton, No. 1, p 80
Angle of Refraction in the Ultrasonic Testing of Wrought Metals, W. R. Randle, No. 12, p 1346
Application of Nondestructive Inspection Methods to Composites (Back to Basics), T. S. Jones and H. Berger, No. 4, p 390
Application of Signal Analysis to Acoustic Emission from a Cyclically Loaded Aluminum Joint Specimen, M. A. Friesel, No. 7, p 842
Application of the Remote-Field Eddy Current Technique to the In-Service Inspection of Ferromagnetic Heat-Exchanger Tubing, D. J. Brown and Q. V. Le, No. 1, p 47
Application of the Tangential Radiographic Technique for Evaluating Pipe System Erosion/Corrosion, W. S. Burkle, No. 10, p 1184
Archival Quality of Radiographic Film (NDT Solution), W. E. J. McKinney, No. 9, p 985
Argon in Leak Detection and Leak Location, E. Martinez and S. E. Walmsley, No. 11, p 1276
Art Conservation of Caligula Statue, Radiography Aids, No. 10, p 1129
Automated Radiography of Space Shuttle Motor, G. C. Buetzow, No. 6, p 686
Automated Ultrasonic Defect Discrimination, P. Walkden, No. 9, p 1000
Automated Ultrasonic Inspection of In-Service Pressure Vessels in the Petroleum Industry, Considerations for (Back to Basics), M. R. Engblom, No. 12, p 1332
Baseball Season, Radiography Saves, No. 10, p 1162
Benefits and Limitations of Multiplexers in Ultrasonic Systems (Back to Basics), L. B. Makarwich, No. 7, p 777; Errata, No. 12, p 1424
Bibliography, Nondestructive Testing of Ceramics: A Selective NTIAC, No. 5, p 523
Bibliography, Remote-Field Eddy Current Inspection: A Selective NTIAC, No. 1, p 29

Bolts for Use in Power Line Towers, Ultrasonic Testing of Step (NDT Solution), M. King and C. Ek, No. 2, p 123
Bond: see *Adhesive, Composite*
Bridges, Ultrasonic Inspection of Pin Assemblies in (NDT Solution), M. McCurdy, No. 12, p 1340
Bromide Dependence in Nondestructive Testing Radiographic Processing, W. E. J. McKinney, No. 10, p 1211
CT-Scan Evaluation of Monolithic Ceramic Turbine Components, Nondestructive Volumetric, M. W. Vannier, C. J. Offutt, and W. A. Ellingson, No. 4, p 454
CT: see also *Tomography*
Calibrated Stepped Wedges: Rules for Radiographers (Back to Basics), W. V. Bowles, No. 3, p 262
Caligula Statue, Radiography Aids Art Conservation of, No. 10, p 1129
Canadian Perspective, Certification of Operators of Radiographic Exposure Devices: A, L. A. Gourgon, No. 2, p 156
Cary E. Hohl and Ultrasonic Testing (Yesteryears Gallery), No. 5, p 493
Ceramic Turbine Components, Nondestructive Volumetric CT-Scan Evaluation of Monolithic, M. W. Vannier, C. J. Offutt, and W. A. Ellingson, No. 4, p 454
Ceramics: A Comparison of Ultrasonic Methods, Characterization of Porosity Distributions in Advanced, D. C. Kunerth, K. L. Telschow, and J. B. Walter, No. 5, p 571
Ceramics, Nondestructive Measurement of Microstructure Evolution in, T. N. Claytor, H. M. Frost, T. H. Feiertag, G. A. Sheppard, and P. D. Shalek, No. 5, p 532
Ceramics, Ultrasonic Imaging System for Composites and, T. Nonaka, Y. Hayakawa, S. Takeda, and H. Nishimori, No. 5, p 542
Ceramics: A Selective NTIAC Bibliography, Nondestructive Testing of, No. 5, p 523
Ceramics (Part 3): Spherical Inclusions in Opaque Crystallized Glass—Theory and Practice, Ultrasonic Characterization of Model Defects in, A. Stockman, P. Mathieu, and P. S. Nicholson, No. 3, p 356
Ceramics with the Use of a Surface-Bonded Adhesive Tape, Improved Ultrasonic Evaluation of Green-State, K. Yamanaka, C. K. Jen, C. Neron, and J. F. Bussière, No. 7, p 828
Certification of Industrial Radiography Radiation Safety Personnel, R. R. Doggart, No. 10, p 1132
Certification, NRC Views on Radiographer, V. L. Miller, No. 2, p 148
Certification of Operators of Radiographic Exposure Devices: A Canadian Perspective, L. A. Gourgon, No. 2, p 156
Certification Program for Industrial Radiation Safety, ASNT, W. C. Plumstead, No. 2, p 154
Certification: Report of Committee Chairman, ASNT's Standard for Personnel, G. C. Wheeler, No. 12, p 1369
Certification: see also *Examination, Standard*
Characteristics of Remote-Field Eddy Current Technique, H. Hoshikawa, K. Koyama, J. Koido, and Y. Ishibashi, No. 1, p 93
Characterization by the Remote-Field Eddy Current Technique in Small-Diameter Tubing, Defect, M. D. MacLean, No. 1, p 24
Characterization of Acoustic Signals from Leaking Intergranular Stress-Corrosion Cracks, D. S. Kupperman, R. Carlson, R. Lanham, and W. Brewer, No. 11, p 1297
Characterization of Model Defects in Ceramics (Part 3): Spherical Inclusions in Opaque Crystallized Glass—Theory and Practice, Ultrasonic, A. Stockman, P. Mathieu, and P. S. Nicholson, No. 3, p 356
Characterization of Porosity Distributions in Advanced Ceramics: A Comparison of Ultrasonic Methods, D. C. Kunerth, K. L. Telschow, and J. B. Walter, No. 5, p 571
Characterization: see also *Property*
Chemical Industry, On-Site Ferrite Content Measurement of Duplex Steel Structures in the (NDT Solution), W. Staib and H. Kunzel, No. 7, p 790
Closed-Loop Process Control of Weld Penetration Using Real-Time Radiography, S. I. Rokhlin, K. Cho, and A. C. Guu, No. 3, p 363
Cobalt-60 Radiography of Concrete, E. T. Clarke, No. 10, p 1200
Community College of Allegheny County–Center North (Education Close-Up), No. 10, p 1179
Comparison of Ultrasonic Flaw-Detection Analysis for Spherical Composite Test Specimens Using Two Data-Acquisition Techniques, W. D. Brosey and J. L. Cantrell, No. 8, p 916
Composite Materials, Digital Image Enhancement for Ultrasonic Imaging of Defects in, B. G. Frock and R. W. Martin, No. 4, p 442
Composite Plates, Lamb-Wave Monitoring of Axial Stiffness Reduction of Laminated, B. Tang and E. G. Henneke, II, No. 8, p 928
Composite Stiffener Inspection Using Redirected Longitudinal Waves (NDT Solution), A. M. Porter, No. 4, p 408
Composite System, Image Correlation Quantitative Nondestructive Evaluation of Impact and Fabrication Damage in a Glass Fiber-Reinforced, S. S. Russell, M. A. Sutton, and H. S. Chen, No. 5, p 550
Composite Test Specimens Using Two Data-Acquisition Techniques, Comparison of Ultrasonic Flaw-Detection Analysis for Spherical, W. D. Brosey and J. L. Cantrell, No. 8, p 916
Composites and Ceramics, Ultrasonic Imaging System for, T. Nonaka, Y. Hayakawa, S. Takeda, and H. Nishimori, No. 5, p 542
Composites, Application of Nondestructive Inspection Methods to (Back to Basics), T. S. Jones and H. Berger, No. 4, p 390
Composites, Correlation of the Deply Technique with the Ultrasonic Imaging of Impact Damage in Graphite-Epoxy, B. T. Smith, J. S. Heyman, A. M. Buoncristiani, E. D. Blodgett, J. G. Miller, and S. M. Freeman, No. 12, p 1408
Composites, Delamination and Crack Imaging in Graphite-Epoxy, C. F. Buynak, T. J. Moran, and R. W. Martin, No. 4, p 438
Composites, Structure Modeling and the Nondestructive Evaluation of Metal-Matrix, W. G. Clark, Jr., and J. N. Iyer, No. 4, p 460
Composites: see also *Advanced Engineering Materials, Sandwich*
Computed Tomography: see *Tomography*
Computerized Radiographic Weld Penetration Control with Feedback on Weld Pool Depression, A. C. Guu and S. I. Rokhlin, No. 10, p 1204
Concrete, Cobalt-60 Radiography of, E. T. Clarke, No. 10, p 1200
Considerations for Automated Ultrasonic Inspection of In-Service Pressure Vessels in the Petroleum Industry (Back to Basics), M. R. Engblom, No. 12, p 1332
Control with Feedback on Weld Pool Depression, Computerized Radiographic Weld Penetration, A. C. Guu and S. I. Rokhlin, No. 10, p 1204
Correlation of the Deply Technique with the Ultrasonic Imaging of Impact Damage in Graphite-Epoxy Composites, B. T. Smith, J. S. Heyman, A. M. Buoncristiani, E. D. Blodgett, J. G. Miller, and S. M. Freeman, No. 12, p 1408
Corrosion, Application of the Tangential Radiographic Technique for Evaluating Pipe System Erosion/, W. S. Burkle, No. 10, p 1184
Corrosion-Damage Images in Real Time from Manual Scanning (NDT Solution), A. Yates, No. 8, p 868
Crack Imaging in Graphite-Epoxy Composites, Delamination and, C. F. Buynak, T. J. Moran, and R. W. Martin, No. 4, p 438
Cure Monitoring, Dielectric Measurements for, F. I. Mopsik, S.-S. Chang, and D. L. Hunston, No. 4, p 448
Damage in Adhesively Bonded Material, Electromagnetic Measurement of Damping Capacity to Detect, T. S. Srivatsan, R. Mantena, R. F. Gibson, T. A. Place, and T. S. Sudarshan, No. 5, p 564
Damage in a Solid Propellant by Acoustic Imaging Technique, Measurement of, C. T. Liu, No. 6, p 746
Damage: see also *Corrosion*
Damping Capacity to Detect Damage in Adhesively Bonded Material, Electromagnetic Measurement of, T. S. Srivatsan, R. Mantena, R. F. Gibson, T. A. Place, and T. S. Sudarshan, No. 5, p 564
Defect Characterization by the Remote-Field Eddy Current Technique in Small-Diameter Tubing, M. D. MacLean, No. 1, p 24
Delamination and Crack Imaging in Graphite-Epoxy Composites, C. F. Buynak, T. J. Moran, and R. W. Martin, No. 4, p 438
Density Measurements from Radioscopic Images (Back to Basics), D. M. Scott, No. 10, p 1113; Erratum, No. 12, p 1424
Determining Performance Leak Test Guidelines for Evaluation of High-Pressure, High-Temperature Wellhead Equipment, B. Boring, No. 11, p 1266
Development of an Operational Helium Leak Detection System for the National Space Transportation System, V. J. Bilardo, Jr., and W. Van Dusen, No. 11, p 1301
Development of Process Automation with Nucleonic Measurement Gages, Early (Yesteryears), R. S. Davis, No. 10, p 1190
Dielectric Measurements for Cure Monitoring, F. I. Mopsik, S.-S. Chang, and D. L. Hunston, No. 4, p 448
Digital Image Enhancement for Ultrasonic Imaging of Defects in Composite Materials, B. G. Frock and R. W. Martin, No. 4, p 442
Dry-Silver System for Weld Radiography, Evaluation of a, M. J. Mayes and D. W. Fitting, No. 2, p 225
EPA Development of Evaluation Tests for Detection of External Leaks in Underground Storage Tanks, A. G. Eklund, J. R. Worlund, and P. B. Durgin, No. 11, p 1288
Early Development of Process Automation with Nucleonic Measurement Gages (Yesteryears), R. S. Davis, No. 10, p 1190
Eddy Current Effect in Nonmagnetic Tubes, Analysis of the Remote-Field, S. Sullivan and D. L. Atherton, No. 1, p 80
Eddy Current Fields, Finite-Element Study of Diffusion Energy Flow in Low-Frequency (Technical Note), Y.-S. Sun, No. 1, p 87
Eddy Current Inspection Technique, History of the Remote-Field (Back to Basics), T. R. Schmidt, No. 1, p 14
Eddy Current Inspection: A Selective NTIAC Bibliography, Remote-Field, No. 1, p 29

Eddy Current Source, Transmission Loss through 6061 T-6 Aluminum Using a Pulsed (Technical Note), K. H. Cavcey, No. 2, p 216
Eddy Current Technique, Characteristics of Remote-Field, H. Hoshikawa, K. Koyama, J. Koido, and Y. Ishibashi, No. 1, p 93
Eddy Current Technique to the In-Service Inspection of Ferromagnetic Heat-Exchanger Tubing, Application of the Remote-Field, D. J. Brown and Q. V. Le, No. 1, p 47
Eddy Current Testing of Small-Diameter Carbon Steel Tubes, Remote-Field (NDT Solution), R. J. Kilgore and S. Ramchandran, No. 1, p 32
Eddy Current Testing to Detect Property Changes Caused by the Heat Treatment of 2024 Aluminum (1989 Robert B. Oliver Scholarship Paper), R. Sundberg, No. 9, p 1062
Eddy Current Tools, Finite-Element Calculations for Shields in Remote-Field, D. L. Atherton, W. Czura, and T. R. Schmidt, No. 9, p 1084
Eddy Current: see also *Electromagnetic, Remote Field*
Education: see *Allegheny County, Iowa State*
Electromagnetic Measurement of Damping Capacity to Detect Damage in Adhesively Bonded Material, T. S. Srivatsan, R. Mantena, R. F. Gibson, T. A. Place, and T. S. Sudarshan, No. 5, p 564
Electromagnetic: see also *Eddy Current, Ferroprobes, Remote Field*
Environmental: see *EPA*
Estimation of Strength in Adhesively Bonded Steel Specimens by Acousto-Ultrasonic Technique, A. Fahr, S. Lee, S. Tanary, and Y. Haddad, No. 2, p 233
Evaluation of a Dry-Silver System for Weld Radiography, M. J. Mayes and D. W. Fitting, No. 2, p 225
Evaluation of Human Reliability in Ultrasonic In-Service Inspection for Intergranular Stress-Corrosion Cracks through Round-Robin Testing, An, T. T. Taylor, J. C. Spanner, Sr., P. G. Heasler, S. R. Doctor, and J. D. Deffenbaugh, No. 3, p 338
Examination Program, The Texas Experience with a Radiographer, C. C. Weber, No. 2, p 152
Ferrite Content Measurement of Duplex Steel Structures in the Chemical Industry, On-Site (NDT Solution), W. Staib and H. Kunzel, No. 7, p 790
Ferroprobes, Hollow-Core Transverse Excitation, N. N. Zatsepin and V. G. Gorbash, No. 9, p 1074
Ferroprobes, Solid Cylindrical-Core Transverse Excitation, N. N. Zatsepin and V. G. Gorbash, No. 8, p 912
Field Metallography for Life Extension Studies of High-Temperature Components, G. Kerzner, I. Sprung, and V. Zilberstein, No. 9, p 1008
Film, Archival Quality of Radiographic (NDT Solution), W. E. J. McKinney, No. 9, p 985
Film-Based Computed Tomography of Nuclear-Fuel-Damage Experiments, B. D. Hansche, No. 6, p 741
Film Radiography Useful for Inspection of Rocket Motors, No. 10, p 1172
Film: see also *Radiography*
Finite-Element Calculations for Shields in Remote-Field Eddy Current Tools, D. L. Atherton, W. Czura, and T. R. Schmidt, No. 9, p 1084
Finite-Element Study of Diffusion Energy Flow in Low-Frequency Eddy Current Fields (Technical Note), Y.-S. Sun, No. 1, p 87
Foils, Ultrasonic and X-Ray Fluorescence Measurement of the Thickness of Metal, G. M. Light, G. P. Singh, and F. D. McDaniel, No. 3, p 322
Four-Point Resistivity Testing of High-Ampacity Electrical Joints, F. Morin, P. Ménard, G. Lévesque, and G. Durou, No. 9, p 1078; Errata, No. 12, p 1424
Gages, Early Development of Process Automation with Nucleonic Measurement (Yesteryears), R. S. Davis, No. 10, p 1190
Gaging with Radiation Sources, Nondestructive, R. S. Davis, No. 9, p 1054
Gamma-Radiography: see *Cobalt, Radiation Exposure, Safety*
Glass Fiber-Reinforced Composite System, Image Correlation Quantitative Nondestructive Evaluation of Impact and Fabrication Damage in a, S. S. Russell, M. A. Sutton, and H. S. Chen, No. 5, p 550
Glass—Theory and Practice, Ultrasonic Characterization of Model Defects in Ceramics (Part 3): Spherical Inclusions in Opaque Crystallized, A. Stockman, P. Mathieu, and P. S. Nicholson, No. 3, p 356
Graphite-Epoxy Composites, Correlation of the Deply Technique with the Ultrasonic Imaging of Impact Damage in, B. T. Smith, J. S. Heyman, A. M. Buoncristiani, E. D. Blodgett, J. G. Miller, and S. M. Freeman, No. 12, p 1408
Graphite-Epoxy Composites, Delamination and Crack Imaging in, C. F. Buynak, T. J. Moran, and R. W. Martin, No. 4, p 438
Heat-Exchanger Tubing, Application of the Remote-Field Eddy Current Technique to the In-Service Inspection of Ferromagnetic, D. J. Brown and Q. V. Le, No. 1, p 47
Heat-Treated Steel Railroad Wheel, Acoustoelastic Measurements Pertaining to the Nondestructive Characterization of Residual Stress in a, A. V. Clark, H. Fukuoka, D. V. Mitraković, and J. C. Moulder, No. 7, p 835
Heat Treatment of 2024 Aluminum, Eddy Current Testing to Detect Property Changes Caused by the (1989 Robert B. Oliver Scholarship Paper), R. Sundberg, No. 9, p 1062
History of Leak Testing (Yesteryears), A. Nerken, No. 11, p 1268
History of the Remote-Field Eddy Current Inspection Technique (Back to Basics), T. R. Schmidt, No. 1, p 14
History: see also *Development, Role*
Hohl and Ultrasonic Testing, Cary E. (Yesteryears Gallery), No. 5, p 493
Hollow-Core Transverse Excitation Ferroprobes, N. N. Zatsepin and V. G. Gorbash, No. 9, p 1074
Holography, Nondestructive Evaluation with Optical, R. S. Davis, No. 7, p 794
Human Reliability in Ultrasonic In-Service Inspection for Intergranular Stress-Corrosion Cracks through Round-Robin Testing, An Evaluation of, T. T. Taylor, J. C. Spanner, Sr., P. G. Heasler, S. R. Doctor, and J. D. Deffenbaugh, No. 3, p 338
Hydrogen Damage, Ultrasonic Detection of, A. S. Birring, D. G. Alcazar, J. J. Hanley, and S. Gehl, No. 3, p 345
Image Correlation Quantitative Nondestructive Evaluation of Impact and Fabrication Damage in a Glass Fiber-Reinforced Composite System, S. S. Russell, M. A. Sutton, and H. S. Chen, No. 5, p 550
Image Enhancement for Ultrasonic Imaging of Defects in Composite Materials, Digital, B. G. Frock and R. W. Martin, No. 4, p 442
Images, Density Measurements from Radioscopic (Back to Basics), D. M. Scott, No. 10, p 1113; Erratum, No. 12, p 1424
Imaging in the Petroleum Processing Industry, Ultrasonic, J. J. Hayden and R. W. Pechacek, No. 12, p 1372
Imaging of Impact Damage in Graphite-Epoxy Composites, Correlation of the Deply Technique with the Ultrasonic, B. T. Smith, J. S. Heyman, A. M. Buoncristiani, E. D. Blodgett, J. G. Miller, and S. M. Freeman, No. 12, p 1408
Imaging System for Composites and Ceramics, Ultrasonic, T. Nonaka, Y. Hayakawa, S. Takeda, and H. Nishimori, No. 5, p 542
Imaging Technique, Measurement of Damage in a Solid Propellant by Acoustic, C. T. Liu, No. 6, p 746
Impact and Fabrication Damage in a Glass Fiber-Reinforced Composite System, Image Correlation Quantitative Nondestructive Evaluation of, S. S. Russell, M. A. Sutton, and H. S. Chen, No. 5, p 550
Improved Ultrasonic Evaluation of Green-State Ceramics with the Use of a Surface-Bonded Adhesive Tape, K. Yamanaka, C. K. Jen, C. Neron, and J. F. Bussière, No. 7, p 828
In-Process Radiographic Evaluation of Arc Welding, S. I. Rokhlin, No. 2, p 219; Erratum, No. 12, p 1424
In-Process Ultrasonic Evaluation of Spot Welds, S. I. Rokhlin, S. Meng, and L. Adler, No. 8, p 935
In-Service Inspection for Intergranular Stress-Corrosion Cracks through Round-Robin Testing, An Evaluation of Human Reliability in Ultrasonic, T. T. Taylor, J. C. Spanner, Sr., P. G. Heasler, S. R. Doctor, and J. D. Deffenbaugh, No. 3, p 338
In-Service Inspection of Ferromagnetic Heat-Exchanger Tubing, Application of the Remote-Field Eddy Current Technique to the, D. J. Brown and Q. V. Le, No. 1, p 47
In-Service Inspection of Reactor Vessel Internals Using a Submersible Remotely Operated Vehicle Inspection System (Back to Basics), F. N. Zinkevich, No. 2, p 118
In-Service Pressure Vessels in the Petroleum Industry, Considerations for Automated Ultrasonic Inspection of (Back to Basics), M. R. Engblom, No. 12, p 1332
Industrial Radiation Safety, ASNT Certification Program for, W. C. Plumstead, No. 2, p 154
Intergranular Stress-Corrosion Cracks, Characterization of Acoustic Signals from Leaking, D. S. Kupperman, R. Carlson, R. Lanham, and W. Brewer, No. 11, p 1297
Intergranular Stress-Corrosion Cracks through Round-Robin Testing, An Evaluation of Human Reliability in Ultrasonic In-Service Inspection for, T. T. Taylor, J. C. Spanner, Sr., P. G. Heasler, S. R. Doctor, and J. D. Deffenbaugh, No. 3, p 338
Iowa State University (Education Close-Up), No. 3, p 266
Lamb-Wave Monitoring of Axial Stiffness Reduction of Laminated Composite Plates, B. Tang and E. G. Henneke, II, No. 8, p 928
Leak Detection and Leak Location, Argon in, E. Martinez and S. E. Walmsley, No. 11, p 1276
Leak Detection System for the National Space Transportation System, Development of an Operational Helium, V. J. Bilardo, Jr., and W. Van Dusen, No. 11, p 1301
Leak Test Guidelines for Evaluation of High-Pressure, High-Temperature Wellhead Equipment, Determining Performance, B. Boring, No. 11, p 1266
Leak Testing, History of (Yesteryears), A. Nerken, No. 11, p 1268

Leak Testing of Components and Systems, Remote Sensing Technique for, T. G. McRae, No. 11, p 1308
Leak Testing Personnel, The Need to Train, C. Waterstrat, No. 11, p 1263
Leak Testing with a Residual Gas Analyzer (Back to Basics), S. Giles, No. 11, p 1244
Leak Testing with Volume Replacement and Acoustic Techniques, H. Askwith, R. Milke, A. Wehrmeister, D. Grabski, and M. Khazrai, No. 12, p 1378
Leakage, Acoustic Monitoring of Nuclear Plant Operating Valves for, R. M. Jones, No. 11, p 1278
Leaking Intergranular Stress-Corrosion Cracks, Characterization of Acoustic Signals from, D. S. Kupperman, R. Carlson, R. Lanham, and W. Brewer, No. 11, p 1297
Leaks Faster with Ultraviolet Light, Pinpointing Vehicle (NDT Solution), L. Davis, No. 11, p 1248
Leaks in Pond Liners, Sensor Finds Tiny, No. 11, p 1286
Leaks in Underground Storage Tanks, EPA Development of Evaluation Tests for Detection of External, A. G. Eklund, J. R. Worlund, and P. B. Durgin, No. 11, p 1288
Leaks, Thermal Video Detects Pipeline, No. 11, p 1273
Life Extension, Nondestructive Evaluation: The Cornerstone of Plant, G. J. Dau, No. 9, p 1046
Life Extension Studies of High-Temperature Components, Field Metallography for, G. Kerzner, I. Sprung, and V. Zilberstein, No. 9, p 1008
Marine: see *Subsea*
Measurement of Damage in a Solid Propellant by Acoustic Imaging Technique, C. T. Liu, No. 6, p 746
Metal-Matrix Composites, Structure Modeling and the Nondestructive Evaluation of, W. G. Clark, Jr., and J. N. Iyer, No. 4, p 460
Metallography for Life Extension Studies of High-Temperature Components, Field, G. Kerzner, I. Sprung, and V. Zilberstein, No. 9, p 1008
Microstructural Characteristics of Type 308 Stainless Steel Welds, Relationship between Ultrasonic Measurements and, W. Wang, S. I. Rokhlin, J. C. Lippold, and L. Adler, No. 12, p 1388
Microstructure Evolution in Ceramics, Nondestructive Measurement of, T. N. Claytor, H. M. Frost, T. H. Feiertag, G. A. Sheppard, and P. D. Shalek, No. 5, p 532
Monitoring and Diagnostic Program for Major Rotating Machinery of an Electric Utility (Back to Basics), M. J. Wallo and H. R. Stott, No. 6, p 604
Monitoring Material Property Transformations with Electrical Resistivity (NDT Solution), W. Hain, No. 6, p 619
Monitoring the Performance of Industrial Computed Tomography Inspection Systems, M. H. Jacoby and D. E. Lingenfelter, No. 10, p 1196
Multiplexers in Ultrasonic Systems, Benefits and Limitations of (Back to Basics), L. B. Makarwich, No. 7, p 777; Errata, No. 12, p 1 24
NRC Views on Radiographer Certification, V. L. Miller, No. 2, p 148
Need to Train Leak Testing Personnel, The, C. Waterstrat, No. 11, p 1263
1988 Technicians of the Year Speak Out, No. 3, p 315
Noncontact Ultrasonic Reflection Tomography, J. K. Hu, D. A. Hutchins, J. Ungar, Q. L. Zhang, and D. K. Mak, No. 6, p 736
Nondestructive Evaluation: The Cornerstone of Plant Life Extension, G. J. Dau, No. 9, p 1046
Nondestructive Evaluation with Optical Holography, R. S. Davis, No. 7, p 794
Nondestructive Gaging with Radiation Sources, R. S. Davis, No. 9, p 1054
Nondestructive Measurement of Microstructure Evolution in Ceramics, T. N. Claytor, H. M. Frost, T. H. Feiertag, G. A. Sheppard, and P. D. Shalek, No. 5, p 532
Nondestructive Testing in the Subsea Environment (Back to Basics), K. J. Austin and J. Flaherty, No. 8, p 871
Nondestructive Testing of Ceramics: A Selective NTIAC Bibliography, No. 5, p 523
Nondestructive Volumetric CT-Scan Evaluation of Monolithic Ceramic Turbine Components, M. W. Vannier, C. J. Offutt, and W. A. Ellingson, No. 4, p 454
Nuclear Plant Operating Valves for Leakage, Acoustic Monitoring of, R. M. Jones, No. 11, p 1278
Nucleonic Measurement Gages, Early Development of Process Automation with (Yesteryears), R. S. Davis, No. 10, p 1190
On-Site Ferrite Content Measurement of Duplex Steel Structures in the Chemical Industry (NDT Solution), W. Staib and H. Kunzel, No. 7, p 790
Optical Holography, Nondestructive Evaluation with, R. S. Davis, No. 7, p 794
Optical System for Visualizing Ultrasonic Waves, Schlieren (NDT Solution), C. W. Hennige, No. 5, p 496
Personnel, Certification of Industrial Radiography Radiation Safety, R. R. Doggart, No. 10, p 1132
Personnel Certification: Report of Committee Chairman, ASNT's Standard for, G. C. Wheeler, No. 12, p 1369
Personnel, The Need to Train Leak Testing, C. Waterstrat, No. 11, p1 263
Petrochemical Plants, Acoustic Emission On-Line Monitoring for, B. Q. Zhang, No. 3, p 351
Petroleum Industry, Considerations for Automated Ultrasonic Inspection of In-Service Pressure Vessels in the (Back to Basics), M. R. Engblom, No. 12, p 1332
Petroleum Processing Industry, Ultrasonic Imaging in the, J. J. Hayden and R. W. Pechacek, No. 12, p 1372
Pinpointing Vehicle Leaks Faster with Ultraviolet Light (NDT Solution), L. Davis, No. 11, p 1248
Pipe and Tubing, The Role of Nondestructive Testing in the Production of (Lester Honor Lecture), E. B. Henry, No. 6, p 714
Pipe System Erosion/Corrosion, Application of the Tangential Radiographic Technique for Evaluating, W. S. Burkle, No. 10, p 1184
Pipeline Leaks, Thermal Video Detects, No. 11, p 1273
Piping Welds Enclosed within Guard Pipe, Radiography of Main Steam (NDT Solution), D. Cabe, No. 10, p 1126
Piping/Pipe: see also *Tube, Tubing*
Porosity Distributions in Advanced Ceramics: A Comparison of Ultrasonic Methods, Characterization of, D. C. Kunerth, K. L. Telschow, and J. B. Walter, No. 5, p 571
Power Line Towers, Ultrasonic Testing of Step Bolts for Use in (NDT Solution), M. King and C. Ek, No. 2, p 123
Power: see also *Utility*
Pressure Vessels in the Petroleum Industry, Considerations for Automated Ultrasonic Inspection of In-Service (Back to Basics), M. R. Engblom, No. 12, p 1332
Process Control of Weld Penetration Using Real-Time Radiography, Closed-Loop, S. I. Rokhlin, K. Cho, and A. C. Guu, No. 3, p 363
Property Changes Caused by the Heat Treatment of 2024 Aluminum, Eddy Current Testing to Detect (1989 Robert B. Oliver Scholarship Paper), R. Sundberg, No. 9, p 1062
Radiation Safety: see *Certification*
Radiation Sources, Nondestructive Gaging with, R. S. Davis, No. 9, p 1054
Radiographer Certification, NRC Views on, V. L. Miller, No. 2, p 148
Radiographer Examination Program, The Texas Experience with a, C. C. Weber, No. 2, p 152
Radiographers, Calibrated Stepped Wedges: Rules for (Back to Basics), W. V. Bowles, No. 3, p 262
Radiographic Equipment Performance Standards, D. O. Nellis, No. 10, p 1182
Radiographic Evaluation of Arc Welding, In-Process, S. I. Rokhlin, No. 2, p 219; Erratum, No. 12, p 1424
Radiographic Exposure Devices: A Canadian Perspective, Certification of Operators of, L. A. Gourgon, No. 2, p 156
Radiographic Film, Archival Quality of (NDT Solution), W. E. J. McKinney, No. 9, p 985
Radiographic Processing, Bromide Dependence in Nondestructive Testing, W. E. J. McKinney, No. 10, p 1211
Radiographic Technique for Evaluating Pipe System Erosion/Corrosion, Application of the Tangential, W. S. Burkle, No. 10, p 1184
Radiographic Weld Penetration Control with Feedback on Weld Pool Depression, Computerized, A. C. Guu and S. I. Rokhlin, No. 10, p 1204
Radiography Aids Art Conservation of Caligula Statue, No. 10, p 1129
Radiography, Closed-Loop Process Control of Weld Penetration Using Real-Time, S. I. Rokhlin, K. Cho, and A. C. Guu, No. 3, p 363
Radiography, Evaluation of a Dry-Silver System for Weld, M. J. Mayes and D. W. Fitting, No. 2, p 225
Radiography of Concrete, Cobalt-60, E. T. Clarke, No. 10, p 1200
Radiography of Main Steam Piping Welds Enclosed within Guard Pipe (NDT Solution), D. Cabe, No. 10, p 1126
Radiography of Space Shuttle Motor, Automated, G. C. Buetzow, No. 6, p 686
Radiography Radiation Safety Personnel, Certification of Industrial, R. R. Doggart, No. 10, p 1132
Radiography Saves Baseball Season, No. 10, p 1162
Radiography Useful for Inspection of Rocket Motors, Film, No. 10, p 1172
Radiography: see also *Film, Radioscovic, Tomography*
Radioscopic Images, Density Measurements from (Back to Basics), D. M. Scott, No. 10, p 1113; Erratum, No. 12, p 1424
Radioscopic Systems: Replies to a Survey, Typical Usage of, T. A. Siewert, No. 6, p 701
Radioscopic: see also *Real-Time Radiography, Radiography, Tomography*
Railroad Wheel, Acoustoelastic Measurements Pertaining to the Nondestructive Characterization of Residual Stress in a Heat-Treated Steel, A. V. Clark, H. Fukuoka, D. V. Mitraković, and J. C. Moulder, No. 7, p 835

Reactor Vessel Internals Using a Submersible Remotely Operated Vehicle Inspection System, In-Service Inspection of (Back to Basics), F. N. Zinkevich, No. 2, p 118
Real Time from Manual Scanning, Corrosion-Damage Images in (NDT Solution), A. Yates, No. 8, p 868
Real-Time Radiography, Closed-Loop Process Control of Weld Penetration Using, S. I. Rokhlin, K. Cho, and A. C. Guu, No. 3, p 363
Real-Time Radiography: see also *Radioscopic*
Relationship between Ultrasonic Measurements and Microstructural Characteristics of Type 308 Stainless Steel Welds, W. Wang, S. I. Rokhlin, J. C. Lippold, and L. Adler, No. 12, p 1388
Reliability in Ultrasonic In-Service Inspection for Intergranular Stress-Corrosion Cracks through Round-Robin Testing, An Evaluation of Human, T. T. Taylor, J. C. Spanner, Sr., P. G. Heasler, S. R. Doctor, and J. D. Deffenbaugh, No. 3, p 338
Reliability, Worst-Case Defects Affecting Ultrasonic Inspection, E. R. Green, No. 12, p 1401
Remote Sensing Technique for Leak Testing of Components and Systems, T. G. McRae, No. 11, p 1308
Remote-Field Characteristics, Including Wall-Thickness versus Frequency Requirements, Use of One-Dimensional Skin-Effect Equations for Predicting, T. R. Schmidt, D. L. Atherton, and S. Sullivan, No. 1, p 76
Remote-Field Eddy Current Effect in Nonmagnetic Tubes, Analysis of the, S. Sullivan and D. L. Atherton, No. 1, p 80
Remote-Field Eddy Current Inspection: A Selective NTIAC Bibliography, No. 1, p 29
Remote-Field Eddy Current Inspection Technique, History of the (Back to Basics), T. R. Schmidt, No. 1, p 14
Remote-Field Eddy Current Technique, Characteristics of, H. Hoshikawa, K. Koyama, J. Koido, and Y. Ishibashi, No. 1, p 93
Remote-Field Eddy Current Technique to the In-Service Inspection of Ferromagnetic Heat-Exchanger Tubing, Application of the, D. J. Brown and Q. V. Le, No. 1, p 47
Remote-Field Eddy Current Technique in Small-Diameter Tubing, Defect Characterization by the, M. D. MacLean, No. 1, p 24
Remote-Field Eddy Current Testing *of Small-Diameter Carbon Steel Tubes* (NDT Solution), R. J. Kilgore and S. Ramchandran, No. 1, p 32
Remote-Field Eddy Current Tools, Finite-Element Calculations for Shields in, D. L. Atherton, W. Czura, and T. R. Schmidt, No. 9, p 1084 *Remote-Field Transition Zone, The* (Back to Basics), T. R. Schmidt, D. L. Atherton, and S. Sullivan, No. 9, p 969
Remotely Operated Vehicle Inspection System, In-Service Inspection of Reactor Vessel Internals Using a Submersible (Back to Basics), F. N. Zinkevich, No. 2, p 118
Resistivity, Monitoring Material Property Transformations with Electrical (NDT Solution), W. Hain, No. 6, p 619
Resistivity Testing of High-Ampacity Electrical Joints, Four-Point, F. Morin, P. Ménard, G. Lévesque, and G. Durou, No. 9, p 1078; Errata, No. 12, p 1424
Rocket: see also *Solid, Space Shuttle*
Role of Nondestructive Testing in the Production of Pipe and Tubing, The (Lester Honor Lecture), E. B. Henry, No. 6, p 714
Safety, Radiation: see *Certification*
Sandwich Structures, Thermography of Foam-Core, M. Vikström, No. 7, p 802
Schlieren Optical System for Visualizing Ultrasonic Waves (NDT Solution), C. W. Hennige, No. 5, p 496
Sensitivity of the Coin-Tap Method of Nondestructive Testing, P. Cawley and R. D. Adams, No. 5, p 558
Sensor Finds Tiny Leaks in Pond Liners, No. 11, p 1286
Solid Cylindrical-Core Transverse Excitation Ferroprobes, N. N. Zatsepin and V. G. Gorbash, No. 8, p 912
Solid Propellant by Acoustic Imaging Technique, Measurement of Damage in a, C. T. Liu, No. 6, p 746
Solid Propellant: see also *Rocket, Space Shuttle*
Sonic: see *Tap*
Space Shuttle Motor, Automated Radiography of, G. C. Buetzow, No. 6, p 686
Space Shuttle: see also *Rocket, Solid*
Space Transportation System, Development of an Operational Helium Leak Detection System for the National, V. J. Bilardo, Jr., and W. Van Dusen, No. 11, p 1301
Standard for Personnel Certification: Report of Committee Chairman, ASNT's, G. C. Wheeler, No. 12, p 1369
Standards, Radiographic Equipment Performance, D. O. Nellis, No. 10, p 1182
Standards: see also *Certification*
Statistics Applied to the Acceptance Decision in Ultrasonic Testing, J. Perdijon, No. 7, p 812
Statue, Radiography Aids Art Conservation of Caligula, No. 10, p 1129
Steam Piping Welds Enclosed within Guard Pipe, Radiography of Main (NDT Solution), D. Cabe, No. 10, p 1126
Steam: see also *Life Extension, Utility*
Steel Railroad Wheel, Acoustoelastic Measurements Pertaining to the Nondestructive Characterization of Residual Stress in a Heat-Treated, A. V. Clark, H. Fukuoka, D. V. Mitraković, and J. C. Moulder, No. 7, p 835
Steel Specimens by Acousto-Ultrasonic Technique, Estimation of Strength in Adhesively Bonded, A. Fahr, S. Lee, S. Tanary, and Y. Haddad, No. 2, p 233
Steel Structures in the Chemical Industry, On-Site Ferrite Content Measurement of Duplex (NDT Solution), W. Staib and H. Kunzel, No. 7, p 790
Steel-to-Rubber Interface by Using Quadrature Phase Detection Techniques, Ultrasonic Study of Adhesive Bond Quality at a, A. C. Smith and H. Yang, No. 12, p 1396
Steel Tubes, Remote-Field Eddy Current Testing of Small-Diameter Carbon (NDT Solution), R. J. Kilgore and S. Ramchandran, No. 1, p 32
Steel Welds, Relationship between Ultrasonic Measurements and Microstructural Characteristics of Type 308 Stainless, W. Wang, S. I. Rokhlin, J. C. Lippold, and L. Adler, No. 12, p 1388
Storage Tanks: see *Tanks*
Stress in a Heat-Treated Steel Railroad Wheel, Acoustoelastic Measurements Pertaining to the Nondestructive Characterization of Residual, A. V. Clark, H. Fukuoka, D. V. Mitraković, and J. C. Moulder, No. 7, p 835
Structure Modeling and the Nondestructive Evaluation of Metal-Matrix Composites, W. G. Clark, Jr., and J. N. Iyer, No. 4, p 460
Subsea Environment, Nondestructive Testing in the (Back to Basics), K. J. Austin and J. Flaherty, No. 8, p 871
Tanks, EPA Development of Evaluation Tests for Detection of External Leaks in Underground Storage, A. G. Eklund, J. R. Worlund, and P. B. Durgin, No. 11, p 1288
Tap Method of Nondestructive Testing, Sensitivity of the Coin-, P. Cawley and R. D. Adams, No. 5, p 558
Technicians of the Year Speak Out, 1988, No. 3, p 315
Texas Experience with a Radiographer Examination Program, The, C. C. Weber, No. 2, p 152
Thermal Video Detects Pipeline Leaks, No. 11, p 1273
Thermography of Foam-Core Sandwich Structures, M. Vikström, No. 7, p 802
Thickness of Metal Foils, Ultrasonic and X-Ray Fluorescence Measurement of the, G. M. Light, G. P. Singh, and F. D. McDaniel, No. 3, p 322
Thickness versus Frequency Requirements, Use of One-Dimensional Skin-Effect Equations for Predicting Remote-Field Characteristics, Including Wall-, T. R. Schmidt, D. L. Atherton, and S. Sullivan, No. 1, p 76
Tomography Inspection Systems, Monitoring the Performance of Industrial Computed, M. H. Jacoby and D. E. Lingenfelter, No. 10, p 1196
Tomography for the Nondestructive Testing of Advanced Engineering Materials, Computed (Back to Basics), R. A. Armistead and R. N. Yancey, No. 5, p 487
Tomography, Noncontact Ultrasonic Reflection, J. K. Hu, D. A. Hutchins, J. Ungar, Q. L. Zhang, and D. K. Mak, No. 6, p 736
Tomography of Nuclear-Fuel-Damage Experiments, Film-Based Computed, B. D. Hansche, No. 6, p 741
Tomography: see also *CT*
Transmission Loss through 6061 T-6 Aluminum Using a Pulsed Eddy Current Source (Technical Note), K. H. Cavcey, No. 2, p 216
Tubes, Analysis of the Remote-Field Eddy Current Effect in Nonmagnetic, S. Sullivan and D. L. Atherton, No. 1, p 80
Tubes, Remote-Field Eddy Current Testing of Small-Diameter Carbon Steel (NDT Solution), R. J. Kilgore and S. Ramchandran, No. 1, p 32
Tubing, Application of the Remote-Field Eddy Current Technique to the In-Service Inspection of Ferromagnetic Heat-Exchanger, D. J. Brown and Q. V. Le, No. 1, p 47
Tubing, Defect Characterization by the Remote-Field Eddy Current Technique in Small-Diameter, M. D. MacLean, No. 1, p 24
Tubing, The Role of Nondestructive Testing in the Production of Pipe and (Lester Honor Lecture), E. B. Henry, No. 6, p 714
Turbine Components, Nondestructive Volumetric CT-Scan Evaluation of Monolithic Ceramic, M. W. Vannier, C. J. Offutt, and W. A. Ellingson, No. 4, p 454
Typical Usage of Radioscopic Systems: Replies to a Survey, T. A. Siewert, No. 6, p 701
Underground Storage Tanks: see *Tanks*
Underwater: see *Subsea*
Ultrasonic Beam, Acoustical Systems for the Focusing of a Narrow, J. Perdijon, No. 12, p 1358
Ultrasonic Characterization of Model Defects in Ceramics (Part 3): Spherical Inclusions in Opaque Crystallized Glass—Theory and Practice, A. Stockman, P. Mathieu, and P. S. Nicholson, No. 3, p 356

Ultrasonic Defect Discrimination, Automated, P. Walkden, No. 9, p 1000
Ultrasonic Detection of Hydrogen Damage, A. S. Birring, D. G. Alcazar, J. J. Hanley, and S. Gehl, No. 3, p 345
Ultrasonic Distances Useful in Oilfield Tubular Inspection (NDT Solution), R. K. Stanley, No. 3, p 272
Ultrasonic Evaluation of Green-State Ceramics with the Use of a Surface-Bonded Adhesive Tape, Improved, K. Yamanaka, C. K. Jen, C. Neron, and J. F. Bussière, No. 7, p 828
Ultrasonic Evaluation of Spot Welds, In-Process, S. I. Rokhlin, S. Meng, and L. Adler, No. 8, p 935
Ultrasonic Flaw-Detection Analysis for Spherical Composite Test Specimens Using Two Data-Acquisition Techniques, Comparison of, W. D. Brosey and J. L. Cantrell, No. 8, p 916
Ultrasonic Imaging System for Composites and Ceramics, T. Nonaka, Y. Hayakawa, S. Takeda, and H. Nishimori, No. 5, p 542
Ultrasonic Imaging in the Petroleum Processing Industry, J. J. Hayden and R. W. Pechacek, No. 12, p 1372
Ultrasonic Imaging of Defects in Composite Materials, Digital Image Enhancement for, B. G. Frock and R. W. Martin, No. 4, p 442
Ultrasonic Imaging of Impact Damage in Graphite-Epoxy Composites, Correlation of the Deply Technique with the, B. T. Smith, J. S. Heyman, A. M. Buoncristiani, E. D. Blodgett, J. G. Miller, and S. M. Freeman, No. 12, p 1408
Ultrasonic In-Service Inspection for Intergranular Stress-Corrosion Cracks through Round-Robin Testing, An Evaluation of Human Reliability in, T. T. Taylor, J. C. Spanner, Sr., P. G. Heasler, S. R. Doctor, and J. D. Deffenbaugh, No. 3, p 338
Ultrasonic Inspection of In-Service Pressure Vessels in the Petroleum Industry, Considerations for Automated (Back to Basics), M. R. Engblom, No. 12, p 1332
Ultrasonic Inspection of Pin Assemblies in Bridges (NDT Solution), M. McCurdy, No. 12, p 1340
Ultrasonic Inspection Reliability, Worst-Case Defects Affecting, E. R. Green, No. 12, p 1401
Ultrasonic Measurements and Microstructural Characteristics of Type 308 Stainless Steel Welds, Relationship between, W. Wang, S. I. Rokhlin, J. C. Lippold, and L. Adler, No. 12, p 1388
Ultrasonic Methods, Characterization of Porosity Distributions in Advanced Ceramics: A Comparison of, D. C. Kunerth, K. L. Telschow, and J. B. Walter, No. 5, p 571
Ultrasonic Reflection Tomography, Noncontact, J. K. Hu, D. A. Hutchins, J. Ungar, Q. L. Zhang, and D. K. Mak, No. 6, p 736
Ultrasonic Study of Adhesive Bond Quality at a Steel-to-Rubber Interface by Using Quadrature Phase Detection Techniques, A. C. Smith and H. Yang, No. 12, p 1396
Ultrasonic Systems, Benefits and Limitations of Multiplexers in (Back to Basics), L. B. Makarwich, No. 7, p 777; Errata, No. 12, p 1 24
Ultrasonic Testing, Cary E. Hohl and (Yesteryears Gallery), No. 5, p 493
Ultrasonic Testing, Statistics Applied to the Acceptance Decision in, J. Perdijon, No. 7, p 812
Ultrasonic Testing of Step Bolts for Use in Power Line Towers (NDT Solution), M. King and C. Ek, No. 2, p 123
Ultrasonic Testing of Wrought Metals, Angle of Refraction in the, W. R. Randle, No. 12, p 1346
Ultrasonic Waves, Schlieren Optical System for Visualizing (NDT Solution), C. W. Hennige, No. 5, p 496
Ultrasonic and X-Ray Fluorescence Measurement of the Thickness of Metal Foils, G. M. Light, G. P. Singh, and F. D. McDaniel, No. 3, p 322
Ultraviolet Light, Pinpointing Vehicle Leaks Faster with (NDT Solution), L. Davis, No. 11, p 1248
Use of One-Dimensional Skin-Effect Equations for Predicting Remote-Field Characteristics, Including Wall-Thickness versus Frequency Requirements, T. R. Schmidt, D. L. Atherton, and S. Sullivan, No. 1, p 76
Utility, Monitoring and Diagnostic Program for Major Rotating Machinery of an Electric (Back to Basics), M. J. Wallo and H. R. Stott, No. 6, p 604
Utility: see also *Life Extension, Power, Steam*
Valves for Leakage, Acoustic Monitoring of Nuclear Plant Operating, R. M. Jones, No. 11, p 1278
Vehicle Leaks Faster with Ultraviolet Light, Pinpointing (NDT Solution), L. Davis, No. 11, p 1248
Waves, Composite Stiffener Inspection Using Redirected Longitudinal (NDT Solution), A. M. Porter, No. 4, p 408
Wedges: Rules for Radiographers, Calibrated Stepped (Back to Basics), W. V. Bowles, No. 3, p 262
Weld Penetration Control with Feedback on Weld Pool Depression, Computerized Radiographic, A. C. Guu and S. I. Rokhlin, No. 10, p 1204
Weld Penetration Using Real-Time Radiography, Closed-Loop Process Control of, S. I. Rokhlin, K. Cho, and A. C. Guu, No. 3, p 363
Weld Radiography, Evaluation of a Dry Silver System for, M. J. Mayes and D. W. Fitting, No. 2, p 225
Welding, In-Process Radiographic Evaluation of Arc, S. I. Rokhlin, No. 2, p 219; Erratum, No. 12, p 1424
Welds Enclosed within Guard Pipe, Radiography of Main Steam Piping (NDT Solution), D. Cabe, No. 10, p 1126
Welds, In-Process Ultrasonic Evaluation of Spot, S. I. Rokhlin, S. Meng, and L. Adler, No. 8, p 935
Welds, Relationship between Ultrasonic Measurements and Microstructural Characteristics of Type 308 Stainless Steel, W. Wang, S. I. Rokhlin, J. C. Lippold, and L. Adler, No. 12, p 1388
Wellhead Equipment, Determining Performance Leak Test Guidelines for Evaluation of High-Pressure, High-Temperature, B. Boring, No. 11, p 1266
Worst-Case Defects Affecting Ultrasonic Inspection Reliability, E. R. Green, No. 12, p 1401
X-Ray Fluorescence Measurement of the Thickness of Metal Foils, Ultrasonic and, G. M. Light, G. P. Singh, and F. D. McDaniel, No. 3, p 322
X-Ray: see also *Radiography*

Errata

In the article "Benefits and Limitations of Multiplexers in Ultrasonic Systems" by L. B. **Makarwich** (No. 7, July 1989), the fourth sentence under the heading "Basic Calibration" (p 777) should read as follows: "Then, individual preamp gains on the multiplexer. . . ." Also, the first sentence on p 780 should read "This phenomenon will ultimately determine the maximum rep-rate used for the test."

In "Four-Point Resistivity Testing of High-Ampacity Electrical Joints" by F. **Morin** et al. (No. 9, Sep. 1989, p 1078), Equation 4 should read "$R_j = I_2/I_1$. Also, G. Lévesque (p 1083) is *supervisor* of his department.

In "Density Measurements from Radioscopic Images" by D. M. **Scott** (No. 10, Oct. 1989, p 1113), a phrase (p 1118, middle column, line 4) should read ". . . attenuation coefficients are determined by the photon energy. . . ."

In many copies of issue No. 2 (Feb. 1989), the image in Figure 9 of "In-Process Radiographic Evaluation of Arc Welding" by S. I. **Rokhlin** (p 219) was distorted. The figure is again reproduced below.



Figure 9—An example showing one frame of the real-time radiographic image of the submerged arc welding.